

L Number	Hits	Search Text	DB	Time stamp
1	875793	perpendicular radial	USPAT; EPO; JPO	2003/12/20 10:54
2	7327	(main adj beam) sub-beam (sub adj beam) (1-order adj beam)	USPAT; EPO; JPO	2003/12/20 10:55
3	772	(perpendicular radial) same ((main adj beam) sub-beam (sub adj beam) (1-order adj beam))	USPAT; EPO; JPO	2003/12/20 10:55
5	17	((perpendicular radial) same ((main adj beam) sub-beam (sub adj beam) (1-order adj beam))) same aberration	USPAT; EPO; JPO	2003/12/20 10:56

*same invention and patent
EP. 1139 339. A2*

L Number	Hits	Search Text	DB	Time stamp
1	7641	(main adj beam) sub-beam (sub adj2 beam) !1-order	USPAT; EPO; JPO	2003/12/20 10:23
2	248	((main adj beam) sub-beam (sub adj2 beam) !1-order) same radial	USPAT; EPO; JPO	2003/12/20 10:23
3	8	((((main adj beam) sub-beam (sub adj2 beam) !1-order) same radial) same aberration	USPAT; EPO; JPO	2003/12/20 10:23

L Number	Hits	Search Text	DB	Time stamp
1	5176	spot same beam same (narrow\$2 small\$2) same (radius diameter)	USPAT; EPO; JPO	2003/12/20 15:02
2	162990	photodetector ((photo light optical) adj (detector sensor receiver)) photosensor photoreceiver lightsensor lightdetector lightreceiver	USPAT; EPO; JPO	2003/12/20 15:03
3	271	(spot same beam same (narrow\$2 small\$2) same (radius diameter)) same (photodetector ((photo light optical) adj (detector sensor receiver)) photosensor photoreceiver lightsensor lightdetector lightreceiver)	USPAT; EPO; JPO	2003/12/20 15:00
4	159934	369.clas. 360.clas.	USPAT; EPO; JPO	2003/12/20 15:00
5	112	((spot same beam same (narrow\$2 small\$2) same (radius diameter)) same (photodetector ((photo light optical) adj (detector sensor receiver)) photosensor photoreceiver lightsensor lightdetector lightreceiver)) and (369.clas. 360.clas.)	USPAT; EPO; JPO	2003/12/20 15:00
6	10497	(narrow\$2 small\$2) same ((radius diameter) near2 (beam spot))	USPAT; EPO; JPO	2003/12/20 15:03
7	513	((narrow\$2 small\$2) same ((radius diameter) near2 (beam spot))) same (photodetector ((photo light optical) adj (detector sensor receiver)) photosensor photoreceiver lightsensor lightdetector lightreceiver)	USPAT; EPO; JPO	2003/12/20 15:03
8	120	((((narrow\$2 small\$2) same ((radius diameter) near2 (beam spot))) same (photodetector ((photo light optical) adj (detector sensor receiver)) photosensor photoreceiver lightsensor lightdetector lightreceiver)) same (portion section)	USPAT; EPO; JPO	2003/12/20 15:04